

S13	26	(client\$1 same server\$1 same interpos\$3 same (atribute\$1 or argument\$3 or operation\$1) & interpret\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 12:41
S14	35	(client\$1 same server\$1 same interpos\$3 same (atribute\$1 or argument\$3 or operation\$1 or referenc\$3) & interpret\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 12:48
S15	27	(client\$1 same (server\$1 with interpos\$3 same (atribute\$1 or argument\$3 or operation\$1 or referenc\$3)) & interpret\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 12:52
S16	67	(client\$1 same (server\$1 with interpos\$3 same (atribute\$1 or argument\$3 or operation\$1 or referenc\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 12:53
S17	3	(client\$1 same (server\$1 with interpos\$3 with (atribute\$1 or argument\$3 or referenc\$3)))	USPAT	OR	OFF	2005/08/08 12:57
S18	662	(client\$1 same (server\$1 with (atribute\$1 or argument\$3 or referenc\$3) with (send\$3 or transmit\$3 or transfer\$3)))	USPAT	OR	OFF	2005/08/08 12:58
S19	36	(client\$1 same (server\$1 with (atribute\$1 or argument\$3 or referenc\$3) with (send\$3 or transmit\$3 or transfer\$3))).ab.	USPAT	OR	OFF	2005/08/08 13:02
S20	3	(client\$1 same server\$1 same interpos\$3 same (invok\$3 or implement\$3)).ab.	USPAT	OR	OFF	2005/08/08 13:03
S21	4	(server\$1 same interpos\$3 same (invok\$3 or implement\$3)).ab.	USPAT	OR	OFF	2005/08/08 13:03
S22	0	(client\$1 same server\$1 same OBR same (invok\$3 or implement\$3)).ab.	USPAT	OR	OFF	2005/08/08 13:04
S23	28	(client\$1 same server\$1 same prox\$3 same (invok\$3 or implement\$3)).ab.	USPAT	OR	OFF	2005/08/08 13:17
S24	632	(719/310,330).CCLS.	USPAT; USOCR	OR	OFF	2005/08/08 13:17
S25	0	S24 & (interpos\$3 same interpret\$3)	USPAT	OR	OFF	2005/08/08 13:18

S26	6	S24 & (interpos\$3 & interpret\$3)	USPAT	OR	OFF	2005/08/08 13:21
S27	22	S24 & (server\$1 with (prox\$3 or broke\$1) same (attribut\$3 or referenc\$3 or argument\$3))	USPAT	OR	OFF	2005/08/08 13:37
S28	0	S24 & (interpos\$3 same independ\$3)	USPAT	OR	OFF	2005/08/08 13:37
S29	324	S24 & (interpos\$3 independ\$3)	USPAT	OR	OFF	2005/08/08 13:37
S30	7	S24 & (interpos\$3 & independ\$3)	USPAT	OR	OFF	2005/08/09 15:59
S31	0	user\$3 same unsuitabl\$3 same adapt\$3 same omitt\$3 same printer\$1	USPAT	OR	OFF	2005/08/09 16:00
S32	0	user\$3 same unsuitabl\$3 same adapt\$3 same omitt\$3 same printer\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 16:01
S33	1	user\$3 same unsuitabl\$3 same adapt\$3 same omitt\$3 & printer\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 16:01
S34	1	user\$3 same unsuitabl\$3 same omitt\$3 & printer\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 16:01
S35	49	user\$3 same unsuitabl\$3 same printer\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 16:02
S36	18	user\$3 with unsuitabl\$3 same printer\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 16:17
S37	159	user\$3 with unsuitabl\$3 & printer\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 16:37

S38	13	user\$3 with unsuitabl\$3 with (select\$3 or choos\$3 or chos\$3) & printer\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 16:25
S39	3	user\$3 with unsuitabl\$3 with omit\$6 & printer\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 16:33
S40	1	user\$3 with unsuitabl\$3 with adjust\$3 & printer\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 16:31
S41	1	user\$3 with unsuitabl\$ same (sav\$3 near3 time\$1) & printer\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 16:32
S42	3	user\$3 same unsuitabl\$3 with omit\$6 & printer\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 16:33
S43	3	user\$3 same unsuitabl\$3 same omit\$6 & printer\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 16:33
S44	18	user\$3 with unsuitabl\$3 same printer\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 16:33
S45	79	user\$3 with unsuitabl\$3 & printer\$1	USPAT	OR	OFF	2005/08/09 16:42
S46	1	(user\$3 with unsuitabl\$3).ab. & printer\$1	USPAT	OR	OFF	2005/08/09 16:37
S47	5	user\$3 with unsuitabl\$3 same printer\$1	USPAT	OR	OFF	2005/08/09 16:38
S48	4	user\$3 with unsuitabl\$3 same(monitor\$3) & printer\$1	USPAT	OR	OFF	2005/08/09 16:38
S49	0	user\$3 with unsuitabl\$3 same dial\$6 & printer\$1	USPAT	OR	OFF	2005/08/09 16:42

S50	0	user\$3 with unsuitabl\$3 same icon\$3 & printer\$1	USPAT	OR	OFF	2005/08/09 16:43
S51	5	user\$3 with (unsuitabl\$3 or non-suitabl\$3 or (non near4 suitabl\$3)) same printer\$1	USPAT	OR	OFF	2005/08/09 16:44
S52	34845	user\$3 with (unsuitabl\$3 or non-suitabl\$3 or (non near4 suitabl\$3)) option\$3 & printer\$1	USPAT	OR	OFF	2005/08/09 16:44
S53	0	user\$3 with (unsuitabl\$3 or non-suitabl\$3 or (non near4 suitabl\$3)) same option\$3 & printer\$1	USPAT	OR	OFF	2005/08/09 16:45
S54	2	user\$3 with (unsuitabl\$3 or non-suitabl\$3 or (non near4 suitabl\$3)) same screen & printer\$1	USPAT	OR	OFF	2005/08/09 16:46
S55	1513	user\$3 with (unsuitabl\$3 or non-suitabl\$3 or (non near4 suitabl\$3) or available) same printer\$1	USPAT	OR	OFF	2005/08/09 16:47
S56	3	user\$3 with (unsuitabl\$3 or non-suitabl\$3 or (non near4 suitabl\$3) or available) same omitt\$3 same printer\$1	USPAT	OR	OFF	2005/08/09 16:49
S57	1	user\$3 with (unsuitabl\$3 or non-suitabl\$3 or (non near4 suitabl\$3) or unavailable) same omitt\$3 same printer\$1	USPAT	OR	OFF	2005/08/09 16:50
S58	1	user\$3 same (unsuitabl\$3 or non-suitabl\$3 or (non near4 suitabl\$3) or unavailable) same omitt\$3 same printer\$1	USPAT	OR	OFF	2005/08/09 16:50
S59	153	user\$3 same (unsuitabl\$3 or non-suitabl\$3 or (non near4 suitabl\$3) or unavailable) same printer\$1	USPAT	OR	OFF	2005/08/09 16:50
S60	1	(user\$3 near4 graphic) same (unsuitabl\$3 or non-suitabl\$3 or (non near4 suitabl\$3) or unavailable) same printer\$1	USPAT	OR	OFF	2005/08/09 16:51
S61	16	user\$3 same (unsuitabl\$3 or non-suitabl\$3 or (non near4 suitabl\$3) or unavailable) same indicat\$6 same printer\$1	USPAT	OR	OFF	2005/08/09 17:20
S62	169	user\$3 same (unsuitabl\$3 or non-suitabl\$3 or (non near4 suitabl\$3)) same (select\$3)	USPAT	OR	OFF	2005/08/09 17:21

S63	27	user\$3 same (unsuitabl\$3 or non-suitabl\$3 or (non near4 suitabl\$3)) same (select\$3)& printer\$3	USPAT	OR	OFF	2005/08/09 17:27
S64	3	user\$3 same (unsuitabl\$3 or non-suitabl\$3 or (non near4 suitabl\$3)) same (adjust\$3)& printer\$3	USPAT	OR	OFF	2005/08/09 17:32
S65	5	user\$3 same (unsuitabl\$3 or non-suitabl\$3 or (non near4 suitabl\$3)) same (adjust\$3)& printer\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 17:33
S66	151	user\$3 same (unsuitabl\$3 or non-suitabl\$3 or (non near4 suitabl\$3)) same (adjust\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 17:33
S67	0	user\$3 same (unsuitabl\$3 or non-suitabl\$3 or (non near4 suitabl\$3)) same (adjust\$3) & fax	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 17:39
S68	284	(unsuitabl\$3 or non-suitabl\$3 or (non near4 suitabl\$3)) with printer\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 17:40
S69	4	(unsuitabl\$3 or non-suitabl\$3 or (non near4 suitabl\$3)) with printer\$3 & GUI	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 17:41
S70	95	(unsuitabl\$3 or non-suitabl\$3 or (non near4 suitabl\$3)) with printer\$3 & user\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 17:41
S71	1	(unsuitabl\$3 or non-suitabl\$3 or (non near4 suitabl\$3)) with printer\$3 & user\$1 & icon\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 17:41

S72	27	(unsuitabl\$3 or non-suitabl\$3 or (non near4 suitabl\$3)) with printer\$3 same user\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 17:51
S73	2	("5,504843").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 17:51
S74	82	(unsuitabl\$3 or non-suitabl\$3 or (non near4 suitabl\$3) or incomapatile or unacceptable) with printer\$3 same user\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 09:53
S75	45	(unsuitabl\$3 or non-suitabl\$3 or (non near4 suitabl\$3) or incomapatile or unacceptable) with printer\$3 same user\$1	USPAT	OR	OFF	2005/08/09 17:52
S76	5	(unsuitabl\$3 or non-suitabl\$3 or (non near4 suitabl\$3) or incomapatile or unacceptable) with printer\$3 with select\$3 same user\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 18:00
S77	82	(unsuitabl\$3 or non-suitabl\$3 or (non near4 suitabl\$3) or incomapatile or unacceptable) with printer\$3 same user\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 10:33
S78	2	("5,402,527").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 09:51
S79	2	("5,504843").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 09:52
S80	57	(unsuitabl\$3 or non-suitabl\$3 or (non near4 suitabl\$3) or incomapatile or unacceptable) with printer\$3 with user\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 09:58

S81	3	(unsuitabl\$3 or non-suitabl\$3 or (non near4 suitabl\$3) or incomapatable or unacceptable) with printer\$3 same user\$1 same (adjust\$3 or omitt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 10:00
S82	17	(unsuitabl\$3 or non-suitabl\$3 or (non near4 suitabl\$3) or incomapatable or unacceptable) same printer\$3 same user\$1 same (adjust\$3 or omitt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 10:29
S83	2	("6,076,110").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 10:29
S84	16	(unsuitabl\$3 or non-suitabl\$3 or (non near4 suitabl\$3) or incomapatable or unacceptable) with printer\$3 with (indicat\$3 or flag\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 10:53
S85	2	("6,076,110").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 10:49
S86	2	("5,898,821").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 10:50
S87	59	(unsuitabl\$3 or non-suitabl\$3 or (non near4 suitabl\$3) or incomapatable or unacceptable) with (indicat\$3 or flag\$6) same (printer\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 10:58
S88	122	(unsuitabl\$3 or non-suitabl\$3 or (non near4 suitabl\$3) or incomapatable or unacceptable) same(indicat\$3 or flag\$6) same (printer\$3)	USPAT	OR	OFF	2005/08/10 10:59
S89	3	(unsuitabl\$3 or non-suitabl\$3 or (non near4 suitabl\$3) or incomapatable or unacceptable) same(indicat\$3 or flag\$6) same (printer\$3).ab.	USPAT	OR	OFF	2005/08/10 10:59

S90	18	(unsuitabl\$3 or non-suitabl\$3 or (non near4 suitabl\$3) or incomapatible or unacceptable) same(indicat\$3 or flag\$6) same (printer\$3) same (user\$3 or GUI or icon\$1)	USPAT	OR	OFF	2005/08/10 11:01
S91	146	(unsuitabl\$3 or non-suitabl\$3 or (non near4 suitabl\$3) or incomapatible or unacceptable) same(indicat\$3 or flag\$6) same (user\$3 or GUI or icon\$1)& printer\$1	USPAT	OR	OFF	2005/08/10 11:05
S92	0	(unsuitabl\$3 or non-suitabl\$3 or (non near4 suitabl\$3) or incomapatible or unacceptable) with GUI same printer\$1	USPAT	OR	OFF	2005/08/10 11:04
S93	53	(unsuitabl\$3 or non-suitabl\$3 or (non near4 suitabl\$3) or incomapatible or unacceptable) with user\$1 same printer\$1	USPAT	OR	OFF	2005/08/10 11:05
S94	153	(unsuitabl\$3 or non-suitabl\$3 or (non near4 suitabl\$3) or incomapatible or unacceptable) with user\$1 same print\$6	USPAT	OR	OFF	2005/08/10 11:05
S95	443	(unsuitabl\$3 or non-suitabl\$3 or (non near4 suitabl\$3) or incomapatible or unacceptable) same(indicat\$3 or flag\$6) same print\$6	USPAT	OR	OFF	2005/08/10 11:05
S96	198	(unsuitabl\$3 or non-suitabl\$3 or (non near4 suitabl\$3) or incomapatible or unacceptable) with (indicat\$3 or flag\$6) same print\$6	USPAT	OR	OFF	2005/08/10 11:06
S97	92	(unsuitabl\$3 or non-suitabl\$3 or (non near4 suitabl\$3) or incomapatible or unacceptable) with (indicat\$3 or flag\$6) with print\$6	USPAT	OR	OFF	2005/08/10 11:08
S98	14	(unsuitabl\$3 or non-suitabl\$3 or (non near4 suitabl\$3) or incomapatible or unacceptable) with (indicat\$3 or flag\$6) with print\$6 same (user\$3 or GUI)	USPAT	OR	OFF	2005/08/10 11:06
S99	16	(unsuitabl\$3 or non-suitabl\$3 or (non near4 suitabl\$3) or. incomapatible or unacceptable) with (indicat\$3 or flag\$6) with print\$6 same select\$3	USPAT	OR	OFF	2005/08/10 11:11

S10 0	10	(unsuitabl\$3 or non-suitabl\$3 or (non near4 suitabl\$3) or incomapatable or unacceptable) with (indicat\$3 or flag\$6) same (print\$6 with select\$3)	USPAT	OR	OFF	2005/08/10 11:57
S10 1	16	(unsuitabl\$3 or non-suitabl\$3 or (non near4 suitabl\$3) or incomapatable or unacceptable) with (indicat\$3 or flag\$6) same (print\$6 with select\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 12:01
S10 2	26	(unsuitabl\$3 or non-suitabl\$3 or (non near4 suitabl\$3) or incomapatable or unacceptable) with (GUI or user\$3) same (print\$6 with select\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 12:11
S10 3	1	"5287194".PN.	USPAT; USOCR	OR	OFF	2005/08/10 12:09
S10 4	27	(unsuitabl\$3 or non-suitabl\$3 or (non near4 suitabl\$3) or incomapatable or unacceptable or impermissib\$3) with (GUI or user\$3) same (print\$6 with select\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 12:15
S10 5	28	(unsuitabl\$3 or non-suitabl\$3 or (non near4 suitabl\$3) or incomapatable or unacceptable or impermissib\$3) same (GUI or user\$3) same (print\$6) same sett\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 12:20
S10 6	5	(unsuitabl\$3 or non-suitabl\$3 or (non near4 suitabl\$3) or incomapatable or unacceptable or impermissib\$3) same (GUI or user\$3) same (print\$6) same stapl\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 12:22
S10 7	566	(unsuitabl\$3 or non-suitabl\$3 or (non near4 suitabl\$3) or incomapatable or unacceptable or impermissib\$3) same (GUI or user\$3) same (print\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 12:23
S10 8	292	(unsuitabl\$3 or non-suitabl\$3 or (non near4 suitabl\$3) or incomapatable or unacceptable or impermissib\$3) with print\$3 same (GUI or user\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 12:26

S109	2	(unsuitabl\$3 or non-suitabl\$3 or (non near4 suitabl\$3) or incomapatable or unacceptable or impermissib\$3) with print\$3 same (GUI or user\$3) same dialog	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 12:24
S110	2	(unsuitabl\$3 or non-suitabl\$3 or (non near4 suitabl\$3) or incomapatable or unacceptable or impermissib\$3) with print\$3 same dialog	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 12:24
S111	3	(unsuitabl\$3 or non-suitabl\$3 or (non near4 suitabl\$3) or incomapatable or unacceptable or impermissib\$3) same print\$3 same dialog	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 12:25
S112	603245	(print\$3).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 12:26
S113	2	S108 & S109	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 12:27
S114	132	S108 & S112	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 12:27
S115	67	S108 & S112 & (sett\$6 or stapl\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 12:30
S116	36	"5,129,639"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 12:30

S11 7	2	("5,129,639").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 12:30
----------	---	-------------------	---	----	-----	------------------